

RECEIVED
CENTRAL FAX CENTERAppl. No.: 10/082,450
Amdt. dated September 14, 2009
Reply to PUBS Requirement to Amend Specification

SEP 14 2009

Amendments to the Specification:

Please replace the last line on page 125 and lines 1-13 on page 126 of the Specification with the following:

Example 1. FIGS. 44A-C exemplify the application of the cell rearrangement $X_{(3\ 2\ 1)}$ on stage 2 (44011) of the 16x16 baseline network $[id: (1\ 2\ 3\ 4): (2\ 3\ 4): (3\ 4): id]$ 44010 of FIG. 44A; network 44020 of FIG. 44B is the rearranged network before simplifying the pictorial display of the exchanges. The cell rearrangement relocates a stage-2 cell from the generic address binary($b_1b_2b_3$) to the new address binary($b_2b_3b_1$). In other words, the exchange $X_{(1\ 2\ 3\ 4)}$ (44012) of FIG. 44A immediately before stage 2 is multiplied by $X_{(3\ 2\ 1)}$ (44021) of FIG. 44B from the right-hand side to yield the resulting exchange $X_{(3\ 4)}$ (44031) of FIG. ~~G1C~~44C, while the exchange $X_{(2\ 3\ 4)}$ (44013) of FIG. 44A immediately after stage 2 is multiplied by $X_{(1\ 2\ 3)}$ (44022) of FIG. 44B, i.e., the inverse of $X_{(3\ 2\ 1)}$, from the left-hand side to yield the resulting exchange $X_{(4\ 2)(3\ 1)}$ (44032) of FIG. 44C.

The cell rearrangement results the network 44030 having a simplified graphical representation:

$$\begin{aligned} & [id: (1\ 2\ 3\ 4)(3\ 2\ 1): (1\ 2\ 3)(2\ 3\ 4): (3\ 4): id] \\ & = [id: (4\ 3): (4\ 2)(3\ 1): (4\ 3): id] \end{aligned}$$